13.46

Printed by Stacey Millsap on 12/26/2013 at 10:09 AM

RECEIPT

001

001

02 85 000011

Department of Ecology (4610) PO Box 47611 Olympia, WA 98504-7611 (360) 407-7095 Receipt Number Manual Receipt 14CJ009622

Document Number	461S0753 CJ Date 12/27/2013 FM 06
Remitter Name	AMERITITLE Receipt Name
Check/Draw Number	42816 13.46
Document Amount	13.46
Method of Payment	13.46 Check WATER RIGHTS G4-35635
Comment Description	WATER RIGHTS G4-35635
REF DOC REF INV NR NR DOC SFX	ID NR SUB ID NR T C R FUND MAJ MAG SUB SRC CNTY WORK PIC AI ORG PRJ SUB PRJ SUB SUB VAR SUB SID SUB SID ALLOC AMT GRP SRC CLS PRJ PHS OBJ SUB GL DR CR OBJ



	t name: Kalum & SAVA Berg WBN WRTS No. 64-35635
	Checklist for Reviewing Requests for Determination of Water Budget Neutrality (RDWBN)
	Does the rule apply?
	Is the well within the mapped Upper Kittitas area? no
	Is proposed use either domestic, group domestic, lawn or noncommercial garden, municipal, stock watering,
	or industrial? (Circle all that apply)
l	Does the total proposed water use and purpose(s) fall under the limits of the groundwater permit exemption?
	Is this a group or non group use? (Circle one)
	If group use, number of parcels
	Does the owner have interest in any proximate parcel? yes no
	Does the owner have significant, voluntary joint activity and cooperation with the owner of a proximate
	parcel?yes no
	Exempt? yes no
	Require Permit? (Check parcel map, County website, Well logs, SEPA documents, etc, as appropriate)
	yesno
	COLVORAZO COSEGAZO
1.	Is the necessary information provided in RDWBN per WAC 173-539A-050(2) C54-YRB03CCR255(A)CTCL  Mitigation trust water rights identified?  yes no, TWR No
	Mitigation trust water rights identified? X yes no, TWR No
	Site map provided? no
	Area to be irrigated provided: 💍 💍 儿 acres
	Soil Report provided (if needed) yes no X n/a
	Provided signed covenant restricting trees/shrubs over drain field OR Sewer Utility agreement? (Circle one)
	For parcel number: 21159
	■ Is the Request signed? X yes no
	$\bullet$ GW mitigation agreement provided: $\times$ yes no
	□ Other necessary information missing:
	Group Use Reviewer: 8-5-13 Date GG
V.	Executed agreement to designate a portion of a TWR provided and signed?
1.	Is the TWR proposed for mitigation suitable for the applicant's proposal?
	Proposal complies with applicable TWR agreement
	What is the suitability area for the subject Trust Water Right: green, red, or yellow?
	What is the suitability area for the subject trust water hight. green, red, or yellow:
	Is a LISPP contract assignment required? Yes no
	Is a USBR contract assignment required?yes no
	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to
	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact
	If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter
	If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.
	<ul> <li>□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>□ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage</li> </ul>
	<ul> <li>If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or</li> </ul>
	<ul> <li>If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.</li> </ul>
	<ul> <li>If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or</li> </ul>
	<ul> <li>□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR.</li> <li>□ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again.</li> <li>□ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.</li> </ul>
ı.	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water
1.	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
l.	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water
1.	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. ☐ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
	□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. □ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. □ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
	☐ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. ☐ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. ☐ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
	□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. □ If green and a contract assignment is required, fill out "Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. □ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
11.	□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. □ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. □ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?
	□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. □ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. □ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  □ Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?   ★ yes no (Use the calculator and CU values from WAC 173-539A unless additional specific information is provided by the applicant)  □ Create/include a pdf version of 1) the request, 2) a map, 3) draft WBN determination, and 4) draft HGmemo. And place these 4 pdfs in a new folder located in Sharepoint> WBN Templates and Tools>Fish group pdf's Fish group response: no If yes, date:
11.	□ If yellow and a contract assignment is required, complete the ESA Consultation protocol and take to WTWG. Determine suitability based on HG analysis (check for related HG analysis and contact appropriate HG). If appropriate, fill out "Yellow Area Acquisition, Exchange and Storage Process" letter to send to USBR. □ If green and a contract assignment is required, fill out "'Green Area Acquisition, Exchange and Storage Process" letter to send to USBR. WTWG already discussed green area Suncadia mitigation projects or March 8, 2010, so if this uses Lamb and Anderson mitigation, does not need to go to WTWG again. □ If other TWR provided by the applicant, is there any potential impact to surface water system upstream of the original TWR POD? If so, USBR contract assignment is required and needs to go to WTWG.  Is the consumptive use as a result of the total proposed use equal to or less than the quantity of mitigation water offered per WAC 173-539A-060(2)(a)?

5027	U.S. Postal Service TM CERTIFIED MAILTM RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)				
品	For delivery information visit our website at www.usps.com				
1	OFF	IGIAL	USE		
7126	Postage	\$			
0000	Certified Fee		1/40		
	Return Receipt Fee (Endorsement Required)		Postmark Here		
	Restricted Delivery Fee (Endorsement Required)		11-14-1-		
0520	Total Postage & Fees	\$	11		
Sent To Kalung Sarah Belg  Street, Apt. No.; or PO Box No.					
	See Reverse for Instructions				
PS Form 3800, August 2006 See Heverse for hish u					

9	
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> <li>Article Addressed to:</li> </ul>	A. Signature  X
1142 ROSE PLACE BUCKLEY WA 98321 WR/ss WBN Determination G4-35635 11-14-13	3. Service Type Certified Mail Registered Insured Mail C.O.D.  4. Restricted Delivery? (Extra Fee)  Service Type Express Mail C.O.D.  Yes
2. Article Number 7010 029	0 0000 7126 5077
PS Form 3811, February 2004 Domestic Re	turn Receipt 102595-02-M-1540



WBN DETERMINATION Letter	☐ WBN REPORT OF EXAMINATION
WBN REJECT & RETURN Letter	WBN DENIAL Letter
AMENDED:	EXCHANGE CONTRACT Assignment
Other:	
File No.: 64-356335	WRIA: 37 COUNTY: Benton
Author/Date: SPL (took from Kurt during he	Selvano 38 Yakima Kittitas Kittitas
SharePoint: >Water Right Documents>	Remarks, Special Instructions, Related Files:
Docs for 64-35635	- Remarks, Special first actions, Related Piles.
	Please use Back of Page.
Dates drafted/edited (Admin):	— If Certifie
	CC's (Check application signatures): check box
GWIS mapping review (review changes BEFORE final)	
GWIS initials/date: GWIS remarks & edits (if more room is needed use back of page):	
Chance Ite str to SWNW	
Thanks of the first of the same	- Tourset Western Bight Dekited AP1 (1/12/12
- M. Marce pieces	Trust Water Right Debited: 4/12/13 Permit Writer (Initial and Date)
101 ea Sharepoint	USBR-Ecology Contract Debited / / 11/12/13
	Permit Writer (Initial and Date)
Sage Park	
Operations Sup. (Initial/Date indicate <b>DRAFT ROE</b> is ready to post)	cc's & protestants (more room on back of page)
Stuart Luttrell	✓ Yakama Nation Suncadia, LLC
Technical Sup. (Initial/Date indicate DRAFT ROE is ready to post)	Joe Mentor, Jr. (email: mentor@mentorlaw.com)
Moule Kompou Section Man	Jessica Kuchan (email: kuchan@mentorlaw.com)
Mark Kemner Section Mgr (Initial/Date) Indicates DRAFT ROE is ready to post	SwiftWater (email: gleasonproperties@comcast.com)
Email pdf to Chris Anderson, HQ to Post to Net: (posted for 2 week	
(posted 10, 2, 110).	windsterson (cmail: kindsterson@imandwireless.com)
Sage Park	James Rivard, Kittitas Co. Health Dept. (1-9 Connections)  (email: environmentalhealth@co.kittitas.wa.us)
Operations Sup (Initial/Date FINAL ROE is ready for Posting/Mailing	WA State DOH, Heather Cannon (more than 9 Connections
Stuart Luttrell 11/14/13	(email: heather.cannon@doh.wa.gov)
Technical Sup (Initial/Date FINAL ROE is ready for Posting/Mailing	Other: Traci Shellbetter
Mark Kemner Section Mgr Mc 11/14/13	
(Initial/Date) FINAL ROE is ready for Posting/Mailing	- Attachments:
CRO-AJMIN	Your Right to Be Heard
Email pdf to Chris Anderson, HQ to Post to Net:  (posted for 60 day	Pro appeal? No Your Right to Be Heard
(posici foi oo da)	Water Measurement Requirements & Form 1  Focus on Water Right Relinquishment (98-1812-WR)
Date Doc mailed:	Advisory Letter (White)
(Admn initial/date when doc is finalized & mailed	☐ METHANE Advisory Letter (Blue) ☐ Other:
☐ Exchange Contract reviewed by:	
(Section Manager Initial/Date); Admin: Send to USBR	
	Comments/Notes may be made on back of page.



## STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

November 13, 2013

William Ferry, USBR Columbia-Cascades Area Office 1917 March Rd Yakima WA 98901-2058

Re: Assignment of Trust Water Right to USBR-Ecology Contract

Dear Mr. Ferry:

Enclosed are two proposed assignments of trust water right to the USBR-Ecology Exchange Contract (Contract No. 09XX101700).

The attached sheets describe how the assignments meet the terms of the storage contract.

Please call me at (509) 454-4258 if you have any questions.

Sincerely,

Mark Kemner, LHG

Section Manager

Water Resources Program/CRO

MK:ss 131131

Enclosures: Proposed Assignments (Exchange Contract)

Copies of Nos. G4-35635 and G4-35638

## SwiftWater Ranch LLC Exchange Contract Assignment

Kalum and Sarah Berg WBN Request No. G4-35635

The Department of Ecology (Ecology) has determined the use of groundwater described below will be water budget neutral with respect to Total Water Supply Available (TWSA). The reach of the Yakima River affected by the groundwater appropriation can be mitigated by release of stored water from a U.S. Bureau of Reclamation (USBR) storage facility upstream from the affected reach. Supplemental consultation under Endangered Species Act (ESA) is, therefore, not required pursuant to Article 18.b of the contract.

- 1. The groundwater use that will be offset by the trust water right is for domestic supply and 0.011 acres of lawn and garden irrigation. The use of water will be located within SW½NW½ of Section 26, T. 20 N., R. 16 E.W.M. (Parcel No. 21159). The consumptive water use will be 0.072 acre-feet from April 1 through September 15, and 0.017 acre-feet from September 16 through October 31.
- 2. The trust water right (No. S4-02255(A)CTCL@2) was placed into the Trust Water Right Program by SwiftWater Ranch LLC.
- 3. The Trust Water Agreement between Ecology and SwiftWater Ranch LLC can be found at the following website: <a href="http://www.ecy.wa.gov/programs/wr/cro/swrwb.html">http://www.ecy.wa.gov/programs/wr/cro/swrwb.html</a>.
- 4. Ecology assigns 0.017 acre-feet of Trust Water Right Certificate to the USBR-Ecology Exchange Contract (Contract No. 09XX101700). The term of the assignment is from November 12, 2013 to January 29, 2049.
- 5. The total payment for 36 years, based on the rate of \$22/ac-ft/yr in Article 15.a, is \$13.46.

